



## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/825,216	04/16/2004	John Amico	32798-2003	7252	
26263 SONNENSCH	7590 03/15/2007 EIN NATH & ROSENTH	EXAMINER			
P.O. BOX 0610	080	AZARIAN, SEYED H			
WACKER DR	IVE STATION, SEARS 7 60606-1080	ART UNIT	PAPER NUMBER		
CINC/100, 1D 00000-1000			2624		
	·				
SHORTENED STATUTOR	RY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE		
3 MONTHS 03/15/2007			PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

		Applicat	ion No.	Applicant(s)	
Office Action Summary		10/825,2	216	AMICO ET AL.	
		Examine	er	Art Unit	
	·	Seyed Az	zarian	2624	ı
Period fo	The MAILING DATE of this commun	ication appears on th	ie cover sheet v	vith the correspondence ac	idress
A SH WHIC - Exte after - If NC - Failu Any	ORTENED STATUTORY PERIOD F CHEVER IS LONGER, FROM THE M nsions of time may be available under the provisions SIX (6) MONTHS from the mailing date of this comn o period for reply is specified above, the maximum st re to reply within the set or extended period for reply reply received by the Office later than three months and patent term adjustment. See 37 CFR 1.704(b).	AILING DATE OF T of 37 CFR 1.136(a). In no enunication. atutory period will apply and will, by statute, cause the ap	HIS COMMUN event, however, may a will expire SIX (6) MC application to become A	ICATION.  The reply be timely filed  ONTHS from the mailing date of this of the capabor (35 U.S.C. § 133).	
Status					
	Responsive to communication(s) file This action is <b>FINAL</b> .  Since this application is in condition closed in accordance with the practi	2b)⊠ This action is for allowance excep	non-final. It for formal ma		e merits is
Disposit	ion of Claims				
5)□ 6)⊠ 7)□ 8)□ <b>Applicat</b> 9)□ 10)⊠	Claim(s) 1-3 and 57-101 is/are pend 4a) Of the above claim(s) is/a Claim(s) is/are allowed.  Claim(s) 1-3 and 57-101 is/are rejected to.  Claim(s) is/are objected to.  Claim(s) are subject to restriction Papers  The specification is objected to by the The drawing(s) filed on 16 April 2004 Applicant may not request that any objected to including	ted.  tion and/or election  e Examiner.  is/are: a) accept  ction to the drawing(s)  the correction is requi	onsideration. requirement. ted or b) □ objected be held in abeya	ance. See 37 CFR 1.85(a). g(s) is objected to. See 37 C	
11)	The oath or declaration is objected to	b by the Examiner. N	iote the attache	ed Office Action or form P	10-152.
12)[ a)	Acknowledgment is made of a claim All b) Some * c) None of:  1. Certified copies of the priority 2. Certified copies of the priority 3. Copies of the certified copies application from the Internation	documents have be documents have be of the priority docum nal Bureau (PCT Ru	en received. en received in nents have bee ule 17.2(a)).	Application No n received in this National	Stage
Attachmen	, ,		<b>∆</b>	Summany (PTO 442)	
2) Notice 3) Information	ce of References Cited (PTO-892) ce of Draftsperson's Patent Drawing Review (F mation Disclosure Statement(s) (PTO/SB/08) er No(s)/Mail Date	TO-948)	Paper No	Summary (PTO-413) (s)/Mail Date Informal Patent Application	

Art Unit: 2624

#### **DETAILED ACTION**

### RESPONSE TO AMENDMENT

1. Applicants' amendment filed, 1/25/2007, see page 26 through page 28, of remark, with respect to withdrawn of claims 4-56 and amended claims 1-3, 57-59, 62-64, 67-69 and 72-74 and added new claims 75-101, have been fully considered but they are moot in view of the new ground (s) of rejection as necessitated by applicant's amendment is made.

Applicant's argues in essence regarding claim 1, that Ishikawa does not teach, "identifying at least one notch of the at least one outline wherein said notch is identified by determining a plurality of curvatures, wherein each of the plurality of curvatures is in a neighborhood of a point on the at least one outline".

Contrary to the applicant's assertion, Ishikawa clearly states, (column 2, line 60 through column 3, line 27, the single most important information about the pattern is its outline (108). Other important features include lines and curves drawn on the pattern (109), which we call internal curves hereafter. Both the outline and the internal curves appear in the raster image as curves. Therefore, it recognizes curves in the raster image. There is more than one connective algorithm to detect and recognize curves. Such as an algorithm finds characteristic pixels in the raster image that are positioned like a curve, also a pixel on the outline of the pattern is characterized as a boundary of two colors (refer to plurality). Further it comprises the representation of curves that constitute the outline and the internal curves. The presentation is such that coordinates of successive points (page 44 of embodiment, line 22, a digitized notch can have the

Art Unit: 2624

same structural qualities as a point but has the added ability to represent a notch), on the curves can be readily calculated.

The Applicant is respectfully reminded that the rejection of the claim is a combination of two reference, also Bankart, in the same field of pattern scanning providing data to a computer which carries out lay planning, which teaches (see abstract, identifying information such as grain direction, piece identity and drill holes, further column 9, lines 27-39, it is possible electronically to identify scanned pattern pieces, and also holes, grain arrows, ID's, notches and grading points within the pattern pieces.

Therefore it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify Ishikawa invention that digitizes pattern shapes, receiving at least one data representing at least one shape where the outline has a curvature, identifying at least one corner by calculating the curvature of the outline in the neighborhood of a point on the outline and determining whether the curvature is at least a pre-defined minimum value according to the teaching of Bankart because it provides identifying one of a group of pattern elements including notches, grain lines for a more accurate and efficient method and process for digitizing shapes and patterns by image scanning techniques.

In response to Applicant's argument that in claim 2 and 73, the Bankart reference fails to show "identifying at least one notch of the at least one outline wherein said notch is identified by determining a plurality of curvatures, wherein each of the

Art Unit: 2624

plurality of curvatures is in a neighborhood of a point on the at least one outline". The same response above.

## Claim Rejections - 35 USC § 112

- 2. The following is a quotation of the first paragraph of 35 U.S.C. 112:
  - The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.
- 3. Claims 3, 57,58, 62, 63, 67, 68, 75, 76, 77, 78, 82 and 86 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter, which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. For example in claim 3, recite "fourth module" and claims 57 and 58 recite "at least three curvatures include a first curvature that is directed leftward, a second curvature that is directed rightward, and a third curvature that is directed leftward".

  There is no disclosure in the specification as originally filed of "at least three curvatures include a first curvature that is directed leftward, a second curvature that is directed rightward, and a third curvature that is directed rightward, and a third curvature that is directed leftward, or how to perform it.

# Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Art Unit: 2624

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

5. Claims 1-3 and 57-101, are rejected under 35 U.S.C. 103(a) as being unpatentable over Ishikawa et al (U.S. patent 7,031,527) in view of Bankart et al (U.S. patent 4,575,628).

The subject matter claimed in the current application is fully disclosed in the patent (U.S. patent 7,031,527) and is covered by patent since the patent and application are claiming common subject matter, and does not make the claims patentably distinct from previous patent 7,031,527, because regarding claim 1, Ishikawa discloses a method of digitizing shapes, said method comprising (column 10, lines 19-20);

receiving at least one data representing at least one shape identifying at least one outline of the at least one shape in the at least one data, wherein the outline has a curvature (column 10, lines 21-24);

and identifying at least one corner of the at least one outline wherein said corner is identified by calculating the curvature of the outline in a neighborhood of a point on the outline and determining whether the curvature is at least a pre-defined minimum value (column 10, lines 25-29).

Although all of the features of the current claims of application are covered in the patented application.

However regarding limitations in the amended claims of 1, 2, and 3, applicant argues that Ishikawa does not explicitly state its corresponding "identifying at least one notch of the at least one outline wherein said notch is identified by determining a

Art Unit: 2624

plurality of curvatures, wherein each of the plurality of curvatures is in a neighborhood of a point on the at least one outline" (Ishikawa clearly discloses column 2, line 60 through column 3, line 27, the single most important information about the pattern is its outline (108). Other important features include lines and curves drawn on the pattern (109), which we call internal curves hereafter. Both the outline and the internal curves appear in the raster image as curves. Therefore, it recognizes curves in the raster image. There is more than one connective algorithm to detect and recognize curves. Such as an algorithm finds characteristic pixels in the raster image that are positioned like a curve, also a pixel on the outline of the pattern is characterized as a boundary of two colors (refer to plurality, also, page 44 of embodiment, line 22, a digitized notch can have the same structural qualities as a point but has the added ability to represent a notch), on the curves can be readily calculated. On other hand Examiner is using the reference Bankart supplied with this action, in the same field of pattern scanning providing data to a computer which carries out lay planning, which teaches (see abstract, identifying information such as grain direction, piece identity and drill holes, further column 9, lines 27-39, it is possible electronically to identify scanned pattern pieces, and also holes, grain arrows, ID's, notches and grading points within the pattern pieces.

Therefore it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify Ishikawa invention that digitizes pattern shapes, receiving at least one data representing at least one shape where the outline has a curvature, identifying at least one corner by calculating the curvature of the outline in the neighborhood of a point on the outline and determining whether the curvature is at least

Art Unit: 2624

a pre-defined minimum value according to the teaching of Bankart because it provides identifying one of a group of pattern elements including notches, grain lines for a more accurate and efficient method and process for digitizing shapes and patterns by image scanning techniques.

The other claims of current application has similar correspondence to claims of patent application.

Regarding claim 2, Ishikawa discloses a system for digitizing shapes, said system comprising: a memory arrangement including thereon a computer program, and a processing arrangement which, when executing the computer program is configured to: receive at least one data representing at least one shape, identify at least one outline of the at least one shape in the at least one data, wherein the outline has a curvature, and identify at least one corner having a relatively large average curvature of the at least one outline wherein said corner is identified by calculating the curvature of the outline in a neighborhood of a point on the outline and determining whether the curvature is at least a pre-defined minimum value (see claim 1, also column 10, lines 30-44).

Regarding claim 3, Ishikawa discloses Software stored in a computer-readable storage medium which, when executed by a processing arrangement, is configured to digitize shapes, said software storage medium comprising: a software program including: a first module which, when executed, receives at least one data representing at least one shape, a second module which, when executed, identifies at least one outline of the at least one shape in the at least one data, wherein the outline has a

Art Unit: 2624

curvature, and a third module which, when executed, identifies at least one corner having a relatively large average curvature of the at least one outline wherein said corner is identified by calculating the curvature of the outline in a neighborhood of a point on the outline and determining whether the curvature is at least a pre-defined minimum value (see claim 1, also column 10, lines 46-60).

Regarding claim 57, Ishikawa discloses the method of claim 1, wherein the plurality of curvatures comprises at least three curvatures identifying the at least one comer includes determining whether a point on the outline has the largest curvature in a neighborhood of a point (Fig. 1, column 2, line 63 through column 3, line15, Other important features include lines and curves drawn on the pattern (109), which we call internal curves hereafter. Both the outline and the internal curves appear in the raster image as curves (plurality curvature). Therefore, it recognizes curves in the raster image. There is more than one connective algorithm to detect and recognize curves.

Regarding claim 58, Ishikawa discloses the method of claim 57, wherein the at least three curvatures include a first curvature that is directed leftward, a second curvature that is directed rightward, and a third curvature that is directed leftward (Fig. 12 column 9, lines 35-55, shows a flow chart of the subroutine Find-Corners. It is called with a reference ctr to a contour record. The subroutine finds points that have the largest absolute curvature in their respective neighborhoods and have at least a predefined minimum absolute curvature. An outer loop (controlled by initialize-step 1201, increment-step 1211, and exit-test-step 1212) of index i runs from 0 to size (ctr)-1 (refer to leftward)). For each pixel record in the contour, first the corner field is set to

Art Unit: 2624

false (1202). Then the absolute curvature (absolute value of the curvature) at the point is examined (1203) and if it is not larger than the minimum curvature for a corner, which is stored in a global variable MinC, the loop continues (refer to right ward)). Here, the value of .pi./8 or 0.3927 is given for MinC. If it does have a larger absolute curvature than MinC, the maximum absolute curvature in the neighborhood of the record is examined using an inner loop (controlled by initialize-step 1205, increment-step 1207, and exit-test-step 1208). A real-number variable M is initialized to 0 (1204) and updated for each record in the neighborhood (1206). If it turns out that the original point has the maximum absolute curvature in its neighborhood (1209), the field corner is given the value true (1210)).

Regarding claim 59, Ishikawa discloses the method of claim 8, wherein the at least one notch is represented by a series of point coordinates (column 2, line 60 through column 3, line 27, the single most important information about the pattern is its outline. Other important features include lines and curves drawn on the pattern (109), which we call internal curves hereafter. Both the outline and the internal curves appear in the raster image as curves. Further it comprises the representation of curves that constitute the outline and the internal curves. The presentation is such that coordinates of successive points (page 44 of embodiment, line 22, a digitized notch can have the same structural qualities as a point but has the added ability to represent a notch), on the curves can be readily calculated, also column 2, lines 45-49, refer to point coordinates).

Art Unit: 2624

Regarding claim 60, Ishikawa discloses the method of claim 72, wherein said digitized shape corresponds to the shape of a pattern for producing sewn goods (column 11, lines 3-5, producing sewn goods).

Regarding claim 61, Ishikawa discloses the method of claim 72, wherein said digitized shape corresponds to the shape of a garment pattern (column 2, lines 19-24, the present invention related to automatically digitization of garment and shape).

Regarding claim 80, Ishikawa discloses the method according to claim 72, wherein the at least one notch is further identified by a minimum depth ((Fig. 12 column 9, lines 35-55, shows a flow chart of the subroutine Find-Corners. The subroutine finds points (notch) that have the largest absolute curvature in their respective neighborhoods and have at least a predefined minimum absolute curvature. Then the absolute curvature (absolute value of the curvature) at the point (notch) is examined (1203) and if it is not larger than the minimum curvature for a corner).

Regarding claim 81, Ishikawa discloses the method according to claim 72, wherein the at least one notch is further identified by a maximum depth (Fig. 12 column 9, lines 35-55, shows a flow chart of the subroutine Find-Corners. Then the absolute curvature (absolute value of the curvature) at the point (notch) is examined and if it is not larger than the minimum curvature for a corner, which is stored in a global variable MinC, the maximum absolute curvature in the neighborhood of the record is examined using an inner loop (controlled by initialize-step 1205, increment-step 1207, and exittest-step 1208).

Art Unit: 2624

Regarding claims 64, 65 and 66, it recites similar limitation as claims 57, 58, 59, 60 and 61, are similarly analyzed.

Regarding claims 69, 70 and 71, it recites similar limitation as claims 1, 3, 58-61, are similarly analyzed.

Regarding claims 72, 73 and 74, it recites similar limitation as claims 1, 2 and 3, are similarly analyzed.

Regarding claims 75, 79, it recites similar limitation as claims1, 58, 59 and 81, are similarly analyzed.

Regarding claims 82-85, 87-89, it recites similar limitation as claims 57, 58, 59, 60 and 61, are similarly analyzed.

Regarding claims 90-101, it recites similar limitation as claims 1, 3, 57, 58, 59, 60 61 and 81, are similarly analyzed.

Regarding claims 62, 63, 67, 68, it recites similar limitation as claims 57, 58, 59, 60 and 61, are similarly analyzed.

Regarding claims 76, 77, 78 and 86, it recites similar limitation as claims 57, 58, 59, 60 and 61, are similarly analyzed.

# Contact Information

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Seyed Azarian whose telephone number is (571) 272-7443. The examiner can normally be reached on Monday through Thursday from 6:00 a.m. to 7:30 p.m.

Art Unit: 2624

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew Bella, can be reached at (571) 272-7778. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application information Retrieval (PAIR) system. Status information for published application may be obtained from either Private PAIR or Public PAIR.

Status information about the PAIR system, see http:// pair-direct.uspto.gov. Should you

have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Seyed Azarian Patent Examiner Group Art Unit 2624 March 12, 2007

Sezed ayorian